### WERNER NEBER

## SKPCA.AT SKPCA.E.UR Serie AT Advanced Technology SKPCM.AT

# Portable wet waste compactors

NEANER SWEET

SA3

www.werner-weber.com

## SKPC.AT series wet waste compactor



The **"real" wet waste compactor**, absolutely sealed - even with waste with a high liquid content. The pressing chamber is cleaned with every stroke of the swing piston thanks to the innovative design. In contrast to conventional horizontal piston presses, the laborious and unhygienic cleaning and maintenance work inside the cylinder chamber and on the floor of the press can now be dispensed with. There is also no maintenance hatch required thanks to the trough-shaped design of the pressing chamber. The area of application of these compactors is the compaction of waste with a high liquid content, such as that from industrial kitchens, hotels, catering businesses, etc.



SKPCM-E series



SKPCM-E with special height



SKPCA-E at London Tower

## Your advantages

**Reduce costs** – benefit from the maximum volume reduction of your waste and valuable recycling materials, thus cutting your disposal costs.

**Absolutely leak-proof design** – no dirt on the set-down surface due to liquids leaking out.

**Operator-friendly** – The procedure for operating the machine is clear and simple, making the work of your personnel easy as well as safe.

**Big filling aperture 1510 x 1510 mm –** the compactor can be filled from the front and from the side of the filling opening.

**Uncompromisingly powerful –** high fill weights, e.g. up to 12 tonnes of residual waste.

#### SKPC.AT series

- Portable wet waste compactors from Werner & Weber are compact, spacesaving and, thanks to their portability, are used in a wide range of applications. Waste compactors simply compress your waste and recyclables in a closed container, therefore reducing your personnel and disposal costs.
- A particular advantage of portable waste compactors is that no additional structural modifications need to be undertaken for their erection. If there is enough space available and an electrical power connection is present, the machine can be installed immediately. Simply connect to the electrical supply with a cable and the machine is ready to use. The area of application of these compactors is the compaction of waste with a high liquid content, such as that from industrial kitchens, hotels, catering businesses, etc.
- The procedure for operating the machine is clear and simple; relevant information such as the full indicator makes work both easy and safe. Thanks to the low filling height and the large filling opening, the Werner & Weber waste compactors are particularly user-friendly.

The waste compactor can be filled from the ground, from a loading ramp or through the wall of a building using a waste chute.

We can offer you a large selection of optional equipment. We have various designs of covers for the filling opening, attachment parts in order to allow the disposal vehicle to be able to pick up the compactor from either side, remote control of the machine via cable and data plug, fill level and operational status messages via GSM, liquid drain with ball cock for draining the liquid before emptying and much more. If the waste could lead to unpleasant odours, the compactor can be equipped with an OZONE device to neutralise the odours.

With an attached or stationary mounted container tipping fixture, filling the waste compactor is made even easier. The material can be collected at different locations within the company and then taken to the waste compactor with the help of containers on rollers. The automatic filler process makes work easier for your personnel and reduces costs and the time involved.



Leak-tight door



Cover over filling opening

		SKPCA.AT			SKPCA.E.UR			SKPCM.AT				
Туре		SKPCA 8.AT	SKPCA 10.AT	SKPCA 12.AT	SKPCA8.E.UR	SKPCA10.E.UR	SKPCA12.E.UR	SKPCM16.AT.X3	SKPCM 16.AT	SKPCM 18.A1	SKPCM 20.A1	SKPCM 24.AT
Container volume net ca.	[m <sup>3</sup> ]	8	10	12	8	10	12	15	16	18	20	24
Hopper volume ca.	[m <sup>3</sup> ]	1,85			1,85			2,12				
Clear top opening*	[mm]	1510 x 1320			1510 x 1320			1510 x 1510				
capcity/cycle	[m <sup>3</sup> ]	0,69			0,69			0,84				
Loading height	[mm]	1520			1520			1560				
Cycle time	[s]	29			29			29				
Maximum through pu	[m³/h]	85			85			93				
Cylinder force max.	[kN]	3			345			345				
Overall lenght (1)	[mm]	4230	4650	5400	4520	5020	5700	5800	5670	6070	6420	7370
Overall width (1)	[mm]	2020			2000			2290 2500				
Overall height (2)	[mm]	2500			2420			2570 2700				
Weight (1)	[kg]	3110	3280	3470	3310	3480	3670	4250	4660	4780	4910	5240
Gross load weight	[kg]	12000			12000			15000				
Lifting system			Skip unit		Roll on/off unit EN30722			Roll on/off unit EN30722				
Electric data		Motor 5,5 kW (7,5 kW on request) / 400V, 50Hz-standard plug CEE-Form 16A, 5-pole										

Technical modifications reserved.

\* Length x width (1) w/o accessories (2) side hinged door

#### www.werner-weber.com



#### Branch/factory

BELGIUM SIDALCO BV Industrieweg 101a NL-7202 CA ZUTPHEN www.sidalco.com

> BULGARIA HIDROMAT LTD. ul. Konstantin Velichkov; bl.29; vh. B; et.7 BG - 8000 BURGAS www.hidromat.bg

CROATIA EKO LINE TRADE D.O.O Škofja vas O40 SLO-3211 ŠKOFJA VAS www.ekolinetrade.si

CYPRUS SHF TRADING CO LTD. 6, Arch. Makarios III 7571 ANGLISIDES LARNACA www.houtris.com

DENMARK Skibby Jensen Smedie A/S Fuglebaekvej 6 DK-2770 Kastrup www.skibbyjensen.dk

FINNLAND
 FINNCONT OY
 Valimonkatu 2
 FIN-15100 LAHTI
 www.finncont.com

- FRANCE ALTERVAL SAS ZAC DE COUPEAUVILLE Rue de coupeauville F-76133 EPOUVILLE www.alter -val.com
  - GERMANY Werner & Weber Deutschland GmbH. Langemarkstrasse 20 D-46045 Oberhausen www.werner-weber.com

UNGARN BCA - REMA Kft. 4483 Buj, Kossuth u. 16. 1106 Budapest, Keresztúri út 210. www.balazokommando.hu

ITALY ARCOIL SAS Allestimenti Veicoli Industriali Cia IV Novembre, 4/a I-35020 TRIBANO (PD) www.arcoil.it

LUXEMBOURG Werner & Weber Deutschland GmbH. Langemarkstrasse 20 D-46045 Oberhausen www.werner-weber.com

NETHERLANDS SIDALCO BV Industrieweg 101a NL-7202 CA ZUTPHEN www.sidalco.com NORWAY Global Miljø AS Gneisveien 14B, N – 3205 SANDEFJORD www.globalm.no

POLAND
 Stalco Industries sp z o o
 UI. Cementowa 1
 PL-31 991 Krakau
 www.stalco.com.pl

PORTUGAL M.C.P. Hilario Baptista Unipesoal Ida. Rua Miguel Bombarda 71, P 2689 50 SACAVEM www.mcp.com.pt

- ROMANIA LILIANE TRADING INTERNATIONAL S.R.L Dorului str. 10 RO-307160 DUMBRAVITA www.liliane.co
- SPAIN Reciclajes Logisticos, S.L. C/ Serreria, 18 - 23A 46011 Valencia (España) www.reciclajeintegral.com
- SLOWENIA EKO LINE TRADE D.O.O Škofja vas 040 SLO-3211 ŠKOFJA VAS www.ekolinetrade.si

SWEDEN SCANECO WASTE AB Älvkullevägen 1 S-42372 SVÄE www.scanwaste.se

SWITZERLAND MTB Reichel Entsorgungstechnik GmbH c/o wsba GmbH Feldgütliweg 2 CH-8004 Zürich www.wsba.ch

THAILAND GMC ENGINEERING 700/163 Srinakarin Road, Suanluang, THA - 10250 BANGKOK www.gmc.co.th

U.A.E. Mohammed Tayyeb Khoory & Sons Sh. Zayed Road, Near 4th UAE Dubai www.mtkhoory.com

WK ENVIRO-TEK RECYCLING LTD Enterprise House, 17 Perr y Road, Harlow GB ESSEX CM18 7PN www.enviro-tek.co.uk



#### WERNER 📐 WEBER

WERNER & WEBER GMBH Schußlinie 1B , A-1110 Wien Tel.: +43/1/544 92 40 e-mail: infoline@werner-weber.com Fax: +43/1/544 92 40 -20 www.werner-weber.com